

Correction

Correction: Mass coral bleaching in 2010 in the Southern Caribbean

The PLOS ONE Staff

Errors were introduced to Table 3 during the production process. *Mycetophyllia aliciae* and *Mycetophyll ferox* are bolded in error. *Montastraea faveolata* and *Montastraea cavernosa* are not bolded in error. The corrected version of Table 3 can be viewed here. The publisher apologizes for these errors.

Citation: The *PLOS ONE* Staff (2014) Correction: Mass coral bleaching in 2010 in the Southern Caribbean. PLoS ONE 9(3): e92542. doi:10.1371/journal.pone. 0092542

Published March 24, 2014

Copyright: © 2014 The *PLOS ONE* Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Table 3. Percent change in hard coral and macroalgal cover at Buccoo, Culloden and Speyside one year and two years post 2010 mass bleaching.

		Buccoo			Culloden			Speyside	
	2010	2011	2012	2010	2011	2012	2010	2011	
Hard coral taxa	25.19	16.17	16.38	26.28	14.65	13.77	17.55	11.97	
Acropora palmata	0.00	0.01	0.14	0.00	0.45	0.29	-	-	
Agaricia agaricites	0.21	0.22	0.23	0.31	0.16	0.09	0.10	0.11	
Agaricia fragilis	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.0	
Agaricia lamarcki	0.21	0.00	0.00	0.10	0.07	0.00	< 0.01	< 0.0	
Colpophyllia natans	6.98	2.77	3.50	1.90	1.50	1.96	1.41	1.05	
Dendrogyra cylindrus	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	-	-	
Dichocoenia stokesi	<0.01	< 0.01	< 0.01	0.05	0.11	0.01	-	-	
Diploria clivosa	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	-	-	
Diploria labyrinthiformis	0.31	0.28	0.36	0.35	0.11	0.15	< 0.01	<0.0	
Diploria strigosa	1.13	0.85	0.73	1.80	1.77	1.97	< 0.01	< 0.0	
Eusmilia fastigiata	0.32	0.21	0.05	-	-	-	0.20	<0.0	
Favia fragum	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	-	
lsophyllastraea rigida	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.0	
Leptoseris cucullata	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.0	
Madracis decactis	0.31	0.02	0.02	0.10	0.04	0.03	0.10	0.00	
Madracis mirabilis	< 0.01	< 0.01	< 0.01	0.26	0.39	0.10	0.50	0.00	
Meandrina meandrites	0.01	0.02	0.05	0.29	0.18	0.46	1.01	0.00	
Millepora alcicornis	0.31	0.12	0.14	1.57	0.80	0.68	< 0.01	<0.0	
Montastraea franksi	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.0	
Montastraea cavernosa	0.99	0.17	0.29	0.91	0.31	0.51	0.31	0.10	
Montastraea faveolata	11.88	10.13	9.65	17.51 ^{ab}	7.59 ^a	6.74 ^b	10.97	8.32	
Mussa angulosa	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.0	
Mycetophyllia aliciae	<0.01	< 0.01	< 0.01	0.10	0.04	0.01	< 0.01	<0.0	
Mycetophyllia ferox	0.01	0.02	0.07	0.01	0.01	0.01	< 0.01	< 0.0	
Porites astreoides	0.11	0.23	0.10	0.26	0.25	0.17	0.52	0.32	
Porites furcata	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.0	
Scolymia wellsi.	0.02	0.02	0.02	0.01	0.05	0.02	< 0.01	<0.0	
Siderastrea radians	0.10	0.01	0.00	0.01	0.04	0.02	< 0.01	<0.0	
Siderastrea siderea	2.32	1.12	1.05	0.77	0.81	0.56	2.43	2.08	
Stephanococoenis intercepta	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	-	-	
Macroalgae	15.87 ^a	26.65	37.90 ^a	20.68 ^a	41.85	54.50 ^a	4.08 ^a	9.57 ^a	

The same superscript indicate significant pairwise comparisons (p < 0.05) for reef taxa (bold print). doi:10.1371/journal.pone.0083829.t003

Reference

1. Alemu I JB, Clement Y (2014) Mass Coral Bleaching in 2010 in the Southern Caribbean. PLoS ONE 9(1): e83829. doi:10.1371/journal.pone.0083829